

L Number	Hits	Search Text	DB	Time stamp
1	77323	integrator	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 12:55
2	8673	integrator with resistor	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 13:28
3	25420	amplifi\$6 near4 factor	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 12:56
4	1736	(amplifi\$6 near4 factor) same sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 12:56
5	39608	(light near2 (intensity or quantity or luminous or energy)) near4 (sens\$3 or detect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 13:55
8	1	((light near2 (intensity or quantity or luminous or energy)) near4 (sens\$3 or detect\$3)) and (integrator with resistor) and ((light near2 (intensity or quantity or luminous or energy)) near4 (sens\$3 or detect\$3)) and ((amplifi\$6 near4 factor) same sensor)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 12:59
7	108	((light near2 (intensity or quantity or luminous or energy)) near4 (sens\$3 or detect\$3)) and ((amplifi\$6 near4 factor) same sensor)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 12:59
6	127	((light near2 (intensity or quantity or luminous or energy)) near4 (sens\$3 or detect\$3)) and (integrator with resistor)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 13:11
9	555	integrator with ((variable or adjustable) near3 resistor)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 13:28
10	19	(integrator with ((variable or adjustable) near3 resistor)) and ((light near2 (intensity or quantity or luminous or energy)) near4 (sens\$3 or detect\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 13:36
11	2185	(amplification or amplifier) same ((variable or adjustable) near3 resistor) same integrat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 13:37
12	78	((light near2 (intensity or quantity or luminous or energy)) near4 (sens\$3 or detect\$3)) and ((amplification or amplifier) same ((variable or adjustable) near3 resistor) same integrat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 13:52
13	9107	malfunction same stop\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 14:01
14	373	(malfunction same stop\$4) and resolution	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 14:13
15	5	((light near2 (intensity or quantity or luminous or energy)) near4 (sens\$3 or detect\$3)) and ((malfunction same stop\$4) and resolution)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 13:56

16	18311	((beam or light) near2 position) near4 (sens\$3 or detect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 13:56
17	8	((beam or light) near2 position) near4 (sens\$3 or detect\$3)) and ((malfunction same stop\$4) and resolution)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 13:56
18	2351	malfunction same inhibit\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 14:25
19	16	((malfunction same stop\$4) and resolution) and (malfunction same inhibit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 13:57
20	324	malfunction same resolution	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 13:59
21	1	(malfunction same resolution) and (((beam or light) near2 position) near4 (sens\$3 or detect\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 13:59
22	6	(malfunction same resolution) and ((light near2 (intensity or quantity or luminous or energy)) near4 (sens\$3 or detect\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 14:00
23	104212	plural\$3 near4 (light beam)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 14:00
24	302	malfunction same (stop\$4 with (light beam))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 14:01
27	10	(plural\$3 near4 (light beam)) and (malfunction same (inhibit\$4 with (light beam)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 14:01
26	25	(plural\$3 near4 (light beam)) and (malfunction same (stop\$4 with (light beam)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 14:02
29	4	(malfunction same (inhibit\$4 with (light beam))) and resolution	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 14:13
28	12	(malfunction same (stop\$4 with (light beam))) and resolution	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 14:14
25	50	malfunction same (inhibit\$4 with (light beam))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 14:20
31	0	(light with remaining with good) and ((malfunction same stop\$4) or (malfunction same inhibit\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 14:21

30	150	light with [REDACTED]aining with good	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 14:21
32	152	malfunction same skip\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 14:26
33	3	(plural\$3 near4 (light beam)) and (malfunction same skip\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/10 14:26